

IN THE CLAIMS:

1. (currently amended) In a multifunction peripheral (MFP) device with a plurality of components, a method for adaptively allocating random access memory (RAM), the method comprising:

supplying an interface; and,

in response to interface prompts, selecting the allocation of RAM for MFP functions selected from the group consisting of a document format and an MFP component, where the component is selected from the group consisting of a fax, scanner, printer, and copier.

2-3. canceled

4. (currently amended) The method of claim [[2]] 1 wherein selecting the allocation of RAM for ~~MFP functions includes selecting the allocation of RAM for MFP features; and,~~

~~the method further comprising:~~

the document format includes selecting the allocation of RAM for a document format MFP features selected from the group including post script (PS) documents, printer control language (PCL) documents, tagged image file format (TIFF) documents, and portable document format (PDF) documents.

5. (currently amended) The method of claim [[2]] 1 wherein supplying an interface includes supplying a graphical user interface (GUI) to present RAM allocation options; and,

wherein selecting the allocation of RAM for MFP functions in response to interface prompts includes allocating portions of RAM in response to GUI prompts.

6. (original) The method of claim 5 in which the MFP has a front panel display; and,

wherein supplying an interface includes supplying a GUI on the MFP front panel to present RAM allocation options.

7. (original) The method of claim 5 in which the MFP is connected to a computer workstation with a display;

wherein supplying an interface includes:

receiving a request from a browser loaded on the computer workstation; and,

from an embedded web server in the MFP, supplying a GUI to the computer workstation display, presenting RAM allocation options.

8. (original) The method of claim 5 further comprising:

establishing predetermined ranges to limit each RAM allocation; and,

wherein selecting the allocation of RAM for MFP functions includes allocating portions of RAM to respective MFP functions within the range of established allocation limits.

9. (original) The method of claim 5 wherein supplying a GUI to present RAM allocation options includes presenting a memory

configuration table cross-referencing MFP functions to their respective RAM memory allocations.

10. (currently amended) The method of claim [[2]] 1 further comprising:

following selecting the allocation of RAM for MFP functions, rebooting the MFP device to distribute the RAM memory allocations to their respective functions.

11. (currently amended) The method of claim [[2]] 1 further comprising:

in response to interface prompts, prioritizing the MFP functions; and,

in the event of contention for RAM between MFP functions, allocating additional RAM to the contending MFP function with the higher priority.

12. (currently amended) The method of claim [[2]] 1 further comprising:

following the selecting of the allocation of RAM for MFP functions, storing the allocations as an allocation profile;

establishing a plurality of stored allocation profiles; and,
supplying an interface to select allocation profiles.

13. (currently amended) The method of claim [[2]] 1 wherein supplying an interface includes supplying a GUI to present predetermined allocation tables; and,

wherein selecting the allocation of RAM for MFP functions in response to interface prompts includes selecting the allocations from the presented allocation tables.

14. (currently amended) In a multifunction peripheral (MFP) device with a plurality of components, a system for adaptively allocating random access memory (RAM), the system comprising:

an interface to provide RAM allocation prompts;

an allocator to allocate RAM for MFP functions selected from the group consisting of an MFP component and a document format in response to interface prompts, where the component is selected from the group consisting of a fax, scanner, printer, and copier; and,

RAM allocated to the temporary storage of documents for processing by the MFP in response to MFP functions.

15-16. canceled

17. (currently amended) The system of claim ~~[[15]]~~ 14 ~~wherein the allocator allocates RAM for MFP features in response to interface prompts; and,~~

wherein the interface supplies prompts for selecting the allocation of RAM for a document format ~~MFP features~~ selected from the group including post script (PS) documents, printer control language (PCL) documents, tagged image file format (TIFF) documents, and portable document format (PDF) documents.

18. (currently amended) The system of claim [[15]] 14 further comprising:

an MFP front panel display;

wherein the interface is a graphical user interface (GUI) to present RAM allocation options on the display; and,

wherein the allocator allocates RAM for MFP functions in response to GUI prompts on the display.

19. (original) The system of claim 18 further comprising:

a computer workstation including a browser and a display that are network-connected to the MFP; and,

wherein the interface includes an embedded web server in the MFP, responsive to computer workstation browser requests, to supply a GUI on the computer workstation display presenting RAM allocation options.

20. (original) The system of claim 17 wherein the allocator operates within predetermined ranges to limit each RAM allocation.

21. (original) The system of claim 17 wherein the interface presents a memory configuration table GUI cross-referencing MFP functions to their respective RAM allocations; and,

wherein the allocator allocates RAM for MFP functions in response to the memory configuration table GUI.

22. (currently amended) The system of claim ~~[[15]]~~ 14 wherein the allocator is rebooted following the allocation of RAM for MFP functions, to distribute the RAM allocations to their respective functions.

23. (currently amended) The system of claim ~~[[15]]~~ 14 wherein the interface supplies prompts to prioritize the MFP functions; and,

wherein the allocator allocates additional RAM to a contending MFP function with the higher priority, in the event of contention for RAM between MFP functions.

24. (currently amended) The system of claim ~~[[15]]~~ 14 further comprising:

a memory to store selected RAM allocations as a plurality of allocation files; and,

wherein the interface supplies prompts to select stored allocation profiles from the memory.

25. (currently amended) The system of claim ~~[[15]]~~ 14 wherein the interface supplies a GUI of predetermined allocation tables; and,

wherein the allocator allocates RAM for MFP functions in response to allocation table interface prompts.